


# SIAMP

Monaco

Automatic flush plate  
for wall hung solution

## INGENIO



Sanitary expertise  
& water friendly

# AUTOMATIC FLUSH

A greater hygiene and comfort with the contactless flush solutions

**THE BRAND NEW RANGE OF AUTOMATIC FLUSH SYSTEMS BRINGS A GREATER HYGIENE AND COMFORT FOR THE USER.**



The contactless system is ideal for public places as the user does not have to touch the flush plate. It, therefore, prevents bacteria and germs transmission.

**THE +**

- **Hygiene**
- **Flushing efficiency**
- **Water savings**
- **Design**


Users will become dependent on this system as it will flush for them once they will have left out of the room. This makes sure that followers will meet with a rinsed WC pan.

Flush volumes are set to deliver a small, or a large flush depending on sensor detection time. A step ahead in water savings from the usual single flush automatic flush systems known up to now.

At the same time, a smart and sharp design is offered. This design is duplicated for the ABS and glass versions so that a range community is existing.

The black glass version featuring its mirror strip allows further deepness and transparency sensations. This is a touch of elegance adapted with classy atmospheres.

Finally, light proposes a more modern atmosphere to the LEDs equipped version. The user can choose in between 7 colours in order to match the room decoration.





Glass - LED



Glass



Access - White



Access - Black



Access - Bright chrome



10 0006 51	Automatic flush plate - Ingenio - Access White
10 0006 50	Automatic flush plate - Ingenio - Access Black
10 0006 52	Automatic flush plate - Ingenio - Access Bright chrome
10 0006 53	Automatic flush plate - Ingenio - Glass
10 0006 54	Automatic flush plate - Ingenio - Glass & LED

## SPECIFICATIONS :

- Presence sensor, cycle starts after 15 seconds
- Small flush when presence is between 15 sec. and 2 minutes.
- Large flush when presence is more than 2 minutes
- Forced flush (hand presence in between 2 and 5 sec. in front of sensor)
- Cleaning/Maintenance mode (lasts 5 min, hand presence more than 8 sec. in front of sensor)
- Colour shift mode (light model, hand presence in between 5 and 8 sec. in front of sensor)
- Self-diagnosis
- To be connected to mains (supplied with transformer)
- To be installed onto Ingenio cisterns

# Choose the **SIAMP** quality

With the flush plate on the **INGENIO**, wall frame, you will access to a condensed of innovations which combine comfort, design and water saving.



## HYGIENE



## WATER SAVING

Each flush plate offers a dual flush system 3/6 liters



Quiet actuation



**INGENIO** is 100% **NF** self-supporting with no wall fixation needed



## EASY INSTALLATION

Quick and accurate installation



## COMFORT

An easy maintenance with no tools



## PRATICAL

Direct access to the components of the cistern

**2** years

2-year guarantee, a robuste and sustainable flush plate

**10** years

10-year guarantee, the SIAMP confidence commitment