




WATER MINDED


Export catalogue 2024

Supply Sleeve Straight Connector




PVC


Between frame and building



PA2050B



P100



M100L

Between WC and frame



M100F

HDPE

Between frame and building



Ø 90 mm



Ø 100 mm



Ø 110 mm


Between WC and frame



Ø 100 mm

CODES INFORMATION

Adaptors



WC Connections		
Model	Code	P.
Standard Supply Sleeve Straight Connector	92403007	35
Extended Supply Sleeve Straight Connector	92014507	35
PA2050B	92406010	35
P100	92200007	35
M100L	92300007	35
M100F	92302007	35
HDPE Elbow 100 / 90 mm	92209000	35
HDPE Elbow 100 / 100 mm	92204500	35
HDPE Elbow 100 / 110 mm	92205000	35
HDPE Straight 100 / 100 mm	92206000	35
M193	92303001	35
R190	92304001	35
R180	92305001	35
R110	92306001	35
HDPE Adaptor 90 / 110 mm	10011657	35

ACCESSORIES FOR CLOSE-COUPLED CISTERNS

UNIVERSAL WATER SUPPLY SET

Flexible for a side or bottom, left or right water supply connection

Also compatible with our low level and high level cisterns



LOW LEVEL TRANSFORMATION SET

- To switch from a close-coupled to a low level cistern
- Height adjustable supply pipe



REAR SUPPORT

- To create a support between the rear of the cistern and the wall to avoid pivoting effects
- Adjustment of 60mm



STABILISER

To reinforce the holding of the cistern on bowls with a particular geometry



ACCESSORIES FOR HIGH LEVEL CISTERNS



TCD 32

TCC 32

CR 32

TCC 32

Flush bend pipe $\varnothing$ 32 mm for floor standing or squatting WC, delivered in 2 segments, total length 1,80 m, horizontal section, length 230 mm

TCD 32

Flush straight pipe $\varnothing$ 32 mm for squatting WC, delivered in 2 segments, total length 1,95 m

CR 32

Rubber cone, $\varnothing$ 32 mm pipe connection

QC 32

Spray, $\varnothing$ 32 mm pipe connection

Non contractual pictures. Products can be modified without any announcement.

